



# SHAPING COFFEE CONTACT APPLICATIONS

From the smallest components to whole processes, Victrex PEEK-based solutions are used throughout the coffee, beverage and water contact world.

These solutions can help to reduce component costs – for example through replacing metal components with the mass production of complex, resilient, injection-moulded components that require no further processing or machining.

### **Typical applications include:**







#### **FLUID DISPENSING**

- Flow meters & sensors
- Nozzles and dispensers
- Piercing devices
- Check valves & solenoids
- CIP equipment
- Frothing wand

#### **FLUID HANDLING**

- Pumps & drive gears
- Filte
- Fittings, junctions & seals
- Pipes & hoses
- Reservoirs
- Bushing & bearings
- Non-stick coatings



The regulatory landscape is becoming increasingly complex, to protect the consumer and implement social and environmental standards. Combined with regulatory requirements in food, drink and potable water being constantly updated and becoming more stringent, it is challenging to keep up to speed on which materials can and cannot be used.

To bring clarity, we work closely with industry and regulatory bodies, undertaking our own advanced research and development, testing and securing the relevant regulatory compliance under, for example EU regulations, U.S. Food and Drug Administration (FDA), UK Water Regulations Advisory Scheme Ltd (WRAS) and KTW.

We understand that your products simply have to work, within the regulatory landscape of today and tomorrow. So we can help at each stage of the product lifecycle, to not just keep your machines working overtime, but to help you realise opportunities, by bringing new products to market, safely and quickly.



# VICTREX FG™ REGULATORY COMPLIANCE GRID

VICTREX FG™ series of VICTREX™ PEEK products are compliant to major regional food contact regulatory standards and regulations. Safe in the knowledge that the materials comply with the strictest regulatory requirements, the portfolio offers design freedom to product managers, designers, engineers and plant managers.

				WATER		FOOD				
Grade	Colour	Filler	WRAS (UK)	KTW (GER)	NSF 61 (US)	FDA (US)	EU (Europe)	China	NSF 51 (US)	Japan
				KTW-BWGL		21 CFR 177.2415	EU 10/2011	GB 4806.6, GB 4806.7		MHLW Food Sanitation Act
VICTREX FG™ 100	Natural	Unfilled		•			•			•
VICTREX FG™ 101	Black	Unfilled		•			•			•
VICTREX FG™ 120	Natural	Glass		•		•	•			•
VICTREX FG™ 121	Black	Glass	•				•			•
VICTREX FG™ 140	Black	Carbon Fibre	•							•
VICTREX FG™ 200	Natural	Unfilled		•			•			•
VICTREX FG™ 201	Black	Unfilled					•			•
VICTREX FG™ 240	Black	Carbon Fibre								
VICTREX FG™ 320	Black	Carbon Fibre	•			•				•
VICTREX FG™ 325	Natural	PTFE	•	•	•	•	•			•
VICTREX FG™ 340	Black	Carbon Fibre			•	•			•	•

## VICTREX FG™ PRODUCT FAMILY

VICTREX FG<sup>™</sup> meets the most stringent food contact material requirements (including safety, quality and regulatory compliance) of the industry – to ensure that customers only taste what they are supposed to taste.

### Product portfolio overview

#### **100 SERIES 200 SERIES** Strong & stiff Tough & ductile enough to withstand enough to replace hard knocks metal & stay in in demanding shape in extreme environments. environments. BEST VICTREX FG™ 140 VICTREX FG™ 240 VICTREX FG™ 121 BETTER VICTREX FG™ 120 VICTREX FG™ 101 VICTREX FG™ 201 VICTREX FG™ 100 VICTREX FG™ 200

### **300 SERIES**

Resilient enough to reduce friction & wear, extending component lifetime in challenging environments.

VICTREX FG™ 340

VICTREX FG™ 325

VICTREX FG™ 320



# **EXPERIENCE**THE BENEFITS

Victrex works with a wide spectrum of food and beverage customers to solve complex challenges and provide certified food contact materials for the most exacting conditions. From cereal conveyor systems and power unit engines, to cutter tool manufacturers in confectionery production. From drinks production component providers to industrial cleaning equipment manufacturers. We are helping to upgrade performance, efficiency and cost-effectiveness in demanding food grade environments.



#### **WE ARE THE #1 EXPERTS IN PEEK**

Our expertise enables us to support every stage of application development, helping manufacturers bring new products to market, safely and quickly.



#### WE PIONEER TO HELP IMPROVE PERFORMANCE

We are helping customers improve the chemical resistance and purity of their critical food contact applications while providing compliance with food and water standards and regulations, including EU, FDA and WRAS



#### WE COLLABORATE TO DRIVE COSTS DOWN

We partner with OEMs and Tier 1s to reduce component cost and improve performance, through identifying where they can gain most advantage in replacing metal with PEEK.



## **HIGH PERFORMANCE PRODUCT PORTFOLIO**

With over 40 years of PEEK polymer knowledge, Victrex works with customers to design new solutions – often replacing metal – to improve manufacturing performance, reduce costs and meet the unique needs of coffee contact environments.

Today, manufacturers are adopting high performance polymers to meet their needs in demanding applications.















#### 

The ideal metal replacement material, VICTREX PEEK is durable and reliable. Enabling optimum component design and performance across a range of next-generation coffee grade applications.



70% lighter vs. steel 55% lighter vs. titanium 40% lighter vs. aluminium



Injection moulding unfilled, carbon-fibre reinforced, and glass-filled grades



Proprietary grades available to achieve high mechanical strength, minimal wear and extreme temperature resistance

#### **VICOTE™ COATINGS**

Durable VICTREX PEEK coatings enhance the lifetime of metal substrates while being friendly to the environment. Enhance the performance of your components with VICTREX PEEK coatings.



A one-coat system for a smooth, uniform surface



Excellent resistance to wear, abrasion, extreme temperature, creep, and chemicals



Halogen-free\* with no additives

#### **ZYEX™ FIBRES**

ZYEX PEEK fibre is the thermoplastic fibre of choice for tough environments. Its resistance to high temperatures and a wide range of chemicals, together with its excellent abrasion resistance at high temperatures make PEEK fibres an excellent choice for e.g. filtration applications, conveyors and composites.



Monofilament, multifilament, staple and cut fibres



Available in diameters from 10 to 2000 microns

#### **APTIV™ FILMS**

Take advantage of the properties of VICTREX PEEK in a thin film format for demanding applications. By offering excellent mechanical, thermal and electrical properties, APTIV Film allows for cost-effective, reliable insulation solutions.



Superior mechanical and dielectric strength



Excellent thermal conductivity



Available in thicknesses from 5 to 750 microns

#### **VICTREX GEAR SOLUTIONS**

POLYMERS,

FORMS,

PARTS.

Benefit from a 360° system approach spanning from material selection through gear design to mass production of precision-moulded stateof-the-art gears that meet highest requirements and can deliver a range of benefits.



Accelerate time to market with integrated process



68% lighter vs. cast iron gears



Cost saving potential vs. metal scissor gears

<sup>\*</sup> VICTREXTM products have been shown through type testing to meet the criteria of 'non-halogenated' as defined in IEC standard – IEC 61249-2-21.

# **OVERCOMING MARKET CHALLENGES**

The inefficiencies inherent with many existing coffee and beverage manufacturing practices and components often mean that a diverse range of costly and complex challenges must be overcome to ensure production can reach and maintain optimum efficiency at the lowest possible lifetime cost.

- Machining / components requiring frequent maintenance
- Metal components being susceptible to contamination and flaking
- Component deterioration through exposure to extreme temperatures and chemical damage
- △ Contamination from lubricants necessary for moving parts
- Staining and other issues associated with maintaining aesthetics

#### **VICTREX™ PEEK polymers**

One of the highest performing polymers in the world, VICTREX PEEK is ideally suited to these extreme, demanding environments. Whilst alternative materials can meet some needs, PEEK supports multiple requirements simultaneously:



## Extreme-Temperature Performance

Allowing continuous operation in temperatures of 260°C and up to 300°C for short-term usage



#### **Purity**

Exceptional high purity



#### **Chemical Resistance**

Resistant to aggressive cleaning agents and processes, insoluble in all common solvents



#### **Mechanical Strength**

Excellent strength, dimensional stability and stiffness as well as long-term creep and fatigue properties



#### **Wear Properties**

High abrasion and cut through resistance combined with a low friction coefficient



#### Light Weight

Enabling reduced mass and lower energy consumption, improved efficiency and cost reduction



#### **Regulatory Compliance**

Appropriate food and water regulatory compliance



#### **Environmental Friendliness**

Victrex operates under an environmental management system that is certified to ISO 14001. VICTREXTM PEEK Polymers are Halogen-free\*, RoHS and REACH compliant. They are chemically inert to water and pressurised steam



### Hydrolysis Resistance

Low moisture absorption, resistant to steam, with low permeability



#### **Easy Processing**

1-shot injection moulding process allows for optimised part design and eliminates the need for secondary processing steps and saves labour, space, machine invest



#### **Electrical Properties**

Maintained over a wide frequency and temperature range, improved dielectric strength vs. PI/PTFE

\* VICTREXTM products have been shown through type testing to meet the criteria of 'non-halogenated' as defined in IEC standard – IEC 61249-2-21.

VICTREX™ PEEK polymers can move manufacturing processes and productivity to the top of the food chain.

#### **Chemical Resistance**

VICTREX™ PEEK polymers deliver resistance for common chemicals\* found in food and beverage processing.

CHEMICAL	23°C (73°F)	100°C (212°F)	200°C (392°F)
Acetic Acid, 10% Conc.	А	А	
Acetic Acid, Conc.	А	А	А
Acetic Acid, Glacial	А	А	
Ammonium Chloride, 10% Conc.	А	А	
Chlorine	C	C	C
Citric Acid	А	А	
Dioctyl Phthalate	А		
Hydrochloric Acid, 10% Conc.	А	А	
Hydrochloric Acid, Conc.	А	В	
Hydrocyanic Acid	А	А	
lodine	В		
Lactic Acid	А	А	
Magnesium Chloride	А	А	
Magnesium Hydroxide	А		
Nitric Acid, 10% Conc.	А		
Nitric Acid, 30% Conc.	В		
Nitric Acid, 50% Conc.	C	C	C
Nitric Acid, Conc.	C	C	C
Phosphoric Acid, 10% Conc.	А	А	А
Phosphoric Acid, 50% Conc.	А	А	А
Phosphoric Acid, 80% Conc.	А	А	
Potassium Carbonate	А		
Potassium Hydroxide, 10% Conc.	А		
Potassium Hydroxide, 70% Conc.	А		
Sodium Hydroxide, 10% Conc.	А	А	А
Sodium Hydroxide, 50% Conc.	А	А	А
Sodium Hydroxide, Conc.	А		

MISCELLANEOUS	23°C (73°F)	200°C (392°F)
Apple Juice	А	
Beer	А	А
Fatty Acids	А	А
Fruit Juice	А	А
Ketchup	А	
Milk	А	А
Mineral Oil	А	
Molasses	А	А
Peanut Oil	А	А
Vinegar	А	А
Wines and Spirits	А	А
Yeast	А	

#### **KEY**

#### A — No attack.

Little or no absorption.

#### B - Slight attack.

Satisfactory use of VICTREX PEEK will depend on the application.

#### C − Severe attack.

It is recommended that VICTREX PEEK should not be used for any application where these chemicals are present.

\*For the complete list of all chemicals, contact Victrex and request the Chemical Resistance brochure.



#### **WORLD HEADQUARTERS**

#### Victrex plc

Hillhouse International **Thornton Cleveleys** Lancashire FY5 4QD **United Kingdom** 

TEL + (44) 1253 897700 FAX + (44) 1253 897701 victrexplc@victrex.com

#### **AMERICAS**

#### **Victrex USA Inc**

300 Conshohocken State Road Suite 120 West Conshohocken, PA 19428 USA

**TEL** + (1) 800-VICTREX TEL + (1) 484 342 6001 FAX + (1) 484 342 6002 americas@victrex.com

#### **EUROPE**

#### **Victrex Europa GmbH**

Langgasse 16 65719 Hofheim/Ts. Germany

TEL + (49) 6192 96490 FAX + (49) 6192 964948 customerservice@victrex.com

#### **JAPAN**

#### Victrex Japan, Inc.

Mita Kokusai Building Annex 4-28, Mita 1-chome Minato-ku Tokyo 108-0073 Japan

TEL + 81 (0)3 5427 4650 FAX + 81 (0)3 5427 4651 japansales@victrex.com

#### **ASIA PACIFIC**

**Victrex High-Performance** Materials (Shanghai) Co Ltd

Part B Building G No. 1688 Zhuanxing Road Xinzhuang Industry Park Shanghai 201108 China

TEL + (86) 21 6113 6900 FAX + (86) 21 6113 6901 scsales@victrex.com

VICTREX™, VICTREX PIPES™, PEEK-ESD™, HT™, ST™, WG™, VICTREX FG™, VICOTE™ and APTIV™ are all trademarks of Victrex plc, Victrex Manufacturing Limited or a member of its group of companies.

Follow us on social media!









**About Victrex** 

Victrex is an innovative world leader in high performance polymer solutions, focused on the strategic markets of automotive, aerospace, energy (including manufacturing & engineering), electronics and medical. Every day, millions of people use products and applications, which contain our materials - from smart phones, aeroplanes and cars to oil and gas operations and medical devices. With over 40 years' experience, we develop world leading solutions in PEEK and PAEK-based polymers, semi-finished and finished parts which shape future performance for our customers and our markets, and drive value for our shareholders. Find out more at www.victrex.com

© Victrex plc - November 2021

victrex.com/compressor-solutions