VICTREX FOOD GRADE SOLUTIONS

# MAKING THE GRADE IN FOOD CONTACT APPLICATIONS

NEXT GENERATION SOLUTIONS WITH VICTREX™ PEEK POLYMERS



## DELIVERING TOMORROW'S GENERATION OF FOOD GRADE SOLUTIONS. TODAY.

With increasing demands around health and safety, hygiene and productivity, the pressuresbeing faced by food and beverage manufacturing equipment companies are mounting.Food contact legislation. Cleaning processes. Equipment performance. Precision. Efficiency.Improvements need to be made without compromise to reliability, costs or output.

Therefore, developing the next generation of food manufacturing equipment is a complex challenge. It requires modern materials and close collaboration between product and design engineers to develop cost-effective, innovative solutions that make the grade in terms of performance and regulatory approval.

Victrex has been helping food manufacturing companies work with thermoplastics for more than two decades. Delivering high-performance solutions that can improve the reliability, efficiency and cost-effectiveness of food contact components, to help solve current challenges in processes from milling and mixing, to boiling, frying and freezing.

In combining food contact approved VICTREX<sup>™</sup> PEEK polymer-based solutions with our in-depth material, processing and application know-how, we help you address your most pressing challenges and bring your food contact solutions to market faster and with more confidence.



## SHAPING FOOD CONTACT APPLICATIONS

From the smallest components to whole processes, Victrex PEEK-based solutions are used throughout the food, beverage and water contact world.

These solutions can help to reduce component costs – for example through replacing metal components with the mass production of complex, resilient, injection-moulded components that require no further processing or machining.

Typical applications include:



## **COMMERCIAL & DOMESTIC**

- Ovens
- Cookware; fryers & rice cookers
- Fridges
- Beverage dispensers



## INDUSTRIAL

- Conveyor systems
- Aseptic processing & packaging
- Bottling and filling lines
- Meat, Poultry, Fish & Dairy
- Filtration
- CIP equipment



The regulatory landscape is becoming increasingly complex, to protect the consumer and implement social and environmental standards. Combined with regulatory requirements in food, drink and potable water being constantly updated and becoming more stringent, it is challenging to keep up to speed on which materials can and cannot be used.

To bring clarity, we work closely with industry and regulatory bodies, undertaking our own advanced research and development, testing and securing the relevant certifications under, for example EU regulations, U.S. Food and Drug Administration (FDA), UK Water Regulations Advisory Scheme Ltd (WRAS), and KTW.

We understand that your products simply have to work, within the regulatory landscape of today and tomorrow. So we can help at each stage of the product lifecycle, to not just keep your machines working overtime, but to help you realise opportunities, by bringing new products to market, safely and quickly.



# **REGULATORY COMPLIANCE**

## VICTREX FG<sup>™</sup> REGULATORY COMPLIANCE GRID

VICTREX FG<sup>™</sup> series of VICTREX<sup>™</sup> PEEK products are certified to major regional food contact regulatory standards. Safe in the knowledge that the materials comply with the strictest regulatory requirements, the portfolio offers design freedom to product managers, designers, engineers and plant managers.

				WATER				FOOD			
Grade	Colour	Filler	WRAS (UK)	KTW (GER)	KTW (GER)	FDA (US)	EU (UK/Europe)	China	South America	NSF 51 (US)	Japan
				KTW guideline	DVGW W270 micro	21 CFR 177.2415	EU 10/2011	GB4806.6 / GB 9685	Mercosur GMC RES 02/12; 32/07; 32/10		MHLW Food Sanitation Act
VICTREX FG™ 100	Natural	Unfilled	•	•	•	•	•	•	•	•	٠
VICTREX FG™ 101	Black	Unfilled	•	•	•	•	•	•	•	•	•
VICTREX FG™ 120	Natural	Glass	•	•	•	•	•	•	•	•	•
VICTREX FG™ 121	Black	Glass	•	•	•	•	•	•	•	•	٠
VICTREX FG™ 140	Black	Carbon Fibre	•			•				•	٠
VICTREX FG™ 200	Natural	Unfilled	•	•	•	•	•	•	•	•	٠
VICTREX FG™ 201	Black	Unfilled	•	•	•	•	•	•	•	•	٠
VICTREX FG™ 220	Natural	Glass	•	•	•	•	•	•	•		٠
VICTREX FG™ 221	Black	Glass	•	•	•	•	•	•	•		٠
VICTREX FG™ 240	Black	Carbon Fibre	•			•					٠
VICTREX FG™ 320	Black	Wear Additives	•			•					•
VICTREX FG™ 325	Natural	Wear Additives	•	•	•	•	•	•	•	•	٠
VICTREX FG™ 340	Black	Wear Additives	•			•				•	٠



Updated Sept. 2020

## VICTREX FG<sup>™</sup> **PRODUCT FAMILY**

VICTREX FG<sup>™</sup> meets the most stringent food contact material requirements (including safety, quality and regulatory compliance) of the industry – to ensure that customers only taste what they are supposed to taste.

## Product portfolio overview

FILLER	<b>100 SERIES</b> Strong & stiff enough to replace metal & stay in shape.	<b>200 SERIES</b> Tough & ductile enough to withstand hard knocks.	PERFORMANCE	FILLER	<b>300 SERIES</b> Resilient enough to reduce friction & wear, extending component lifetime.
CARBON FIBRE	VICTREX FG™ 140	VICTREX FG™ 240	BEST	WEAR ADDITIVES	VICTREX FG™ 340
GLASS	VICTREX	FG™ 121	BETTER	WEAR ADDITIVES	VICTREX FG™ 325
GL/	VICTREX	FG™ 120		WEAR ADDITIVES	VICTREX FG™ 320
UNFILLED	VICTREX FG™ 101	VICTREX FG™ 201	GOOD		
UNFI	VICTREX FG™ 100	VICTREX FG™ 200	00		

VICTREX FG™ 340
VICTREX FG™ 325
VICTREX FG™ 320





## EXPERIENCE THE BENEFITS

Victrex works with a wide spectrum of food and beverage customers to solve complex challenges and provide certified food contact materials for the most exacting conditions. From cereal conveyor systems and power unit engines, to cutter tool manufacturers in confectionery production. From drinks production component providers to industrial cleaning equipment manufacturers. We are helping to upgrade performance, efficiency and cost-effectiveness in demanding food grade environments.



## WE ARE THE #1 EXPERTS IN PEEK

Our expertise enables us to support every stage of application development, helping manufacturers bring new products to market, safely and quickly.



## WE PIONEER TO HELP IMPROVE PERFORMANCE

We are helping customers improve the chemical resistance and purity of their critical food contact applications while providing compliance with food and water standards, including EU, FDA, 3-A and WRAS.



### WE COLLABORATE TO DRIVE COSTS DOWN

We partner with OEMs and Tier 1s to reduce component cost and improve performance, through identifying where they can gain most advantage in replacing metal with PEEK.



## **HIGH PERFORMANCE PRODUCT PORTFOLIO**

With over 35 years of PEEK polymer knowledge, Victrex works with customers to design new solutions – often replacing metal – to improve manufacturing performance, reduce costs and meet the unique needs of food contact environments.

Today, manufacturers are adopting high performance polymers to meet their needs in demanding applications.



## VICTREX<sup>™</sup> PEEK POLYMER ▲

The ideal metal replacement material, VICTREX PEEK is durable and reliable. Enabling optimum component design and performance across a range of next-generation food grade applications.



55% lighter vs. titanium 40% lighter vs. aluminium Injection moulding unfilled,



Proprietary grades available to achieve high mechanical strength, minimal wear and extreme

temperature resistance

glass-filled grades

carbon-fibre reinforced, and



## VICOTE<sup>™</sup> COATINGS

Durable VICTREX PEEK coatings enhance the lifetime of metal substrates while being friendly to the environment. Enhance the performance of your components with Victrex liquid and powder dispersions.



Excellent resistance to wear, (出 abrasion, extreme temperature,

creep, and chemicals

Halogen-free with no additives



#### ZYEX<sup>™</sup> FIBRES

ZYEX PEEK fibre is the thermoplastic fibre of choice for tough environments. Its resistance to high temperatures and a wide range of chemicals, together with its excellent abrasion resistance at high temperatures make PEEK fibres an excellent choice for e.g. filtration applications, conveyors and composites.

Monofilament, multifilament, staple and cut fibres





### **APTIV<sup>™</sup> FILMS**

Take advantage of the properties of VICTREX PEEK in a thin film format for demanding applications. By offering excellent mechanical, thermal and electrical properties, APTIV Film allows for cost-effective, reliable insulation solutions.

Superior mechanical and Q dielectric strength

Excellent thermal conductivity

> Available in thicknesses from 5 to 750 microns



#### **VICTREX GEAR SOLUTIONS**

Benefit from a 360° system approach spanning from material selection through gear design to mass production of precision-moulded stateof-the-art gears that meet highest requirements and can deliver a range of benefits.

68% lighter vs. cast iron gears





## **POLYMERS**, FORMS, PARTS.



Accelerate time to market with integrated process

## **OVERCOMING MARKET CHALLENGES**

The inefficiencies inherent with many existing food and beverage manufacturing practices and components often mean that a diverse range of costly and complex challenges must be overcome to ensure production can reach and maintain optimum efficiency at the lowest possible lifetime cost.

- Machining / components requiring frequent maintenance
- Metal components being susceptible to contamination and flaking
- Component deterioration through exposure to extreme temperatures and chemical damage
- Contamination from lubricants necessary for moving parts
- Staining and other issues associated with maintaining aesthetics

### **VICTREX™ PEEK polymers**

One of the highest performing polymers in the world, VICTREX PEEK is ideally suited to these extreme, demanding environments. Whilst alternative materials can meet some needs, PEEK supports multiple requirements simultaneously:



**Extreme-Temperature** Performance

Allowing continuous operation in temperatures of 260°C and up to 300°C for short-term usage



### **Chemical Resistance**

Resistant to aggressive cleaning agents and processes, insoluble in all common solvents



**Mechanical Strength** Excellent strength, dimensional stability and stiffness as well as long-term creep and fatique properties

#### Wear Properties $(\mathbf{D})$ High abrasion and cut through

resistance combined with a low friction coefficient

Light Weight Enabling reduced mass and lower energy consumption, improved efficiency and cost reduction

**Regulatory Approvals** Appropriate food and water certification

## **Environmental Friendliness**

Fully recyclable, halogen-free and RoHS and REACH compliant. Chemically inert to water and pressurised steam

#### **Hydrolysis Resistance ()** Low moisture absorption,

resistant to steam, with low permeability

### Easy Processing

 $\langle \checkmark \rangle$ 

1-shot injection moulding process allows for optimised part design and eliminates the need for secondary processing steps and saves labour, space, machine invest

#### **Electrical Properties** (4)

Maintained over a wide frequency and temperature range, improved dielectric strength vs. PI/PTFE

## found in food and beverage processing.

**Chemical Resistance** 

CHEMICAL	23°C (73°F)	100°C (212°F)	200°C (392°F)	MISCELLANEOUS	23°C (73°F)	200°C (392°F)		
Acetic Acid, 10% Conc.	А	А		Apple Juice	А			
Acetic Acid, Conc.	А	А	А	Beer	А	А		
Acetic Acid, Glacial	А	А		Fatty Acids	А	А		
Ammonium Chloride, 10% Conc.	А	А		Fruit Juice	A	А		
Chlorine	С	С	С	Ketchup	А			
Citric Acid	А	А		Milk	A	А		
Dioctyl Phthalate	А			Mineral Oil	А			
Hydrochloric Acid, 10% Conc.	А	А		Molasses	A	А		
Hydrochloric Acid, Conc.	А	В		Peanut Oil	А	А		
Hydrocyanic Acid	А	А		Vinegar	А	А		
lodine	В			Wines and Spirits	А	А		
Lactic Acid	А	А		Yeast	A			
Magnesium Chloride	А	А						
Magnesium Hydroxide	А			KEY				
Nitric Acid, 10% Conc.	А							
Nitric Acid, 30% Conc.	В			A — <b>No attack.</b> Little or no absorption.				
Nitric Acid, 50% Conc.	С	С	С	B — Slight attack.				
Nitric Acid, Conc.	С	С	С	Satisfactory use of VICTREX PEEK will depend on the application.				
Phosphoric Acid, 10% Conc.	А	А	А	C — <b>Severe attack.</b> It is recommended that VICTREX PEEK				
Phosphoric Acid, 50% Conc.	A	A	А					
Phosphoric Acid, 80% Conc.	А	А		should not be used for any application where these chemicals are present.				
Potassium Carbonate	A							
Potassium Hydroxide, 10% Conc.	А							
Potassium Hydroxide, 70% Conc.	А							
Sodium Hydroxide, 10% Conc.	А	А	А	*For the complete list of all chemicals, contact Victrex and request the Chemical Resistance brochure.				
Sodium Hydroxide, 50% Conc.	А	А	А					
Sodium Hydroxide, Conc.	А							

**VICTREX™ PEEK polymers can move manufacturing processes** and productivity to the top of the food chain.

(ئ

## VICTREX<sup>™</sup> PEEK polymers deliver resistance for common chemicals\*





HEADQUARTERS	AMERICAS	EUROPE	JAPAN	ASIA PACIFIC
<b>Victrex plc</b> Hillhouse International Thornton Cleveleys Lancashire FY5 4QD United Kingdom	Victrex USA Inc 300 Conshohocken State Road Suite 120 West Conshohocken, PA 19428 USA	Victrex Europa GmbH Langgasse 16 65719 Hofheim/Ts. Germany	Victrex Japan, Inc. Mita Kokusai Building Annex 4-28, Mita 1-chome Minato-ku Tokyo 108-0073 Japan	Victrex High-Performance Materials (Shanghai) Co Ltd Part B Building G No. 1688 Zhuanxing Road Xinzhuang Industry Park Shanghai 201108 China
TEL + (44) 1253 897700 FAX + (44) 1253 897701 victrexplc@victrex.com	TEL + (1) 484 342 6001 FAX + (1) 484 342 6002 americas@victrex.com	TEL + (49) 6192 96490 FAX + (49) 6192 964948 customerservice@victrex.com	TEL + 81 (0)3 5427 4650 FAX + 81 (0)3 5427 4651 japansales@victrex.com	TEL + (86) 21 6113 6900 FAX + (86) 21 6113 6901 scsales@victrex.com

As a global high-performance polymer solutions provider, Victrex serves more than 40 geographies worldwide across the automotive, aerospace, medical, electronics, industrial and energy markets. VICTREX<sup>™</sup> PEEK is regarded as one of the highest performing engineering thermoplastics in the world, and is used by leading companies to develop fuel-efficient automobiles and aeroplanes, advanced medical devices, next generation technology and tools for the harshest environments.

Follow us on social media!



#### ©Victrex plc – March 2020

Victrex plc and/or its group companies ("Victrex plc") believes that the information contained in this document is an accurate description of the typical characteristics and/or uses of the product or products, but it is the customer's responsibility to thoroughly test the product in each specific application to determine its performance, efficacy, and safety for each end-use product, device or other application. Suggestions of uses should not be taken as inducements to infringe any particular patent or a confirmation as to fitness for use. The information and data contained herein are based on information we believe true. Mention of a product in this document is not a guarantee of availability.

Victrex plc reserves the right to modify products, specifications and/orp ackaging as part of a continuous program of product development. Victrex plc makes no warranties, express or implied, including, without limitation, a warranty of fitness for a particular purpose or of intellectual property non-infringement, including, but not limited to patent non-infringement, which are expressly disclaimed, whether express or implied, in fact or by law.

Further, Victrex plc makes no warranty to your customers or agents, and has not authorized anyone to make any representation or warranty other than as provided above. Victrex plc shall in no event be liable for any general, indirect, special, consequential, punitive, incidental or similar damages, including without limitation, damages for harm to business, lost profits or lost savings, even if Victrex has been advised of the possibility of such damages regardless of the form of action.

Any performance or comparative claims in this document can be supported by data which are available on request.

VICTREX™, APTIV™, VICOTE™, ZYEX™ Fibres, VICTREX™ Gear Solutions, VICTREX WG™ and the Triangle (Device), are trade marks of Victrex plc or its group companies.

## td