

## SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

| 1.1   | <b>Product identifier</b><br>Trade name          | APTIV™ Film: 1000 and 2000 series; DB and DBX series        |
|-------|--|---|
| 1.2   | Other means of identification                    |   |
|       | CAS No.  | PEEK Polymer (31694-16-3 or 29658-26-2)                     |
|       | EC No.   | Not applicable.   |
|       | REACH Registration No.                           | Not applicable.   |
| 1.3   | Recommended use of the substance and restric     | tions on use  |
|       | Identified use(s)                                | The materials are generally used for film applications.     |
| 1.4   | Details of the supplier of the safety data sheet |   |
| 1.4.1 | Manufacturer Details                             |   |
|       | Company Identification                           | Victrex Manufacturing Ltd.                                  |
|       |  | Hillhouse International, Thornton-Cleveleys                 |
|       |  | Lancashire, UK - FY5 4QD                                    |
|       | Telephone  | + 44 (0) 1253 897700  |
|       | Fax:   | + 44 (0) 1253 897701  |
|       | E-Mail (competent person)                        | RAPS@victrex.com  |
| 1.4.2 | Only Representative details                      |   |
|       | Company Identification                           | Stewardship Chemicals 40,                                   |
|       |  | Dlugosza 67,  |
|       |  | 43-188 Orzesze,   |
|       |  | Poland  |
|       | Telephone:                                       | +48 501168430   |
|       | E-Mail (competent person)                        | pawelskiba@stewardshipsolutions.eu                          |
| 1.4.3 | Regional Importer Address                        | See section 16 for regional importer / supplier information |
| 1.5   | Emergency telephone number                       |   |
|       | Emergency Phone No.                              | + 44 (0) 1253 897754 - UK                                   |
|       |  |   |

+ 44 (0) 1253 897754 - UK +(49) 6192 964 900 - Europe +(1) 484 342 6001 - USA Hours of operation 09:00 – 17:00 (Monday – Friday)



#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

- 2.1.1 Regulation (EC) No. 1272/2008 (CLP).
- 2.2 Label elements (GHS)

   Hazard pictogram(s)
   Signal word(s)
   Hazard statement(s)
   Precautionary statement(s)

   2.3 Other hazards

Not classified as dangerous for supply/use.

None. None. None. None. Not classified as PBT or vPvB.

PEEK polymer does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Not explosive See section 9.2 below.

#### 2.4 Additional Information

None.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Polyetheretherketone polymer (CAS No. 29658-26-2 or 31694-16-3) This product does not contain any reportable hazardous materials

Classification according to Regulation EC No. 1272/2008 [CLP]:

| Hazardous ingredient(s) | %W/W | EC No. | CAS No. | REACH<br>Registration No. | Hazard statement(s) |
|-------------------------|------|--------|---------|---------------------------|---------------------|
| None.                   | -    | -      | -       | -                         | -                   |

#### **3.2 Additional Information**

For full text of H/P phrases see section 16.

## **SECTION 4: FIRST AID MEASURES**



4.1 Description of first aid measures Inhalation

Skin Contact

**UNCONTROLLED IF PRINTED** 

Remove victim to fresh air and keep at rest in a position comfortable for breathing. After contact with skin, wash immediately with plenty of soap and water. In the event of contact with molten product: Cool

Page: 2/9



| 12    | Eye Contact<br>Ingestion   | affected area quickly with water. Do not attempt to remove<br>hardened product. Obtain medical attention.<br>Flush eyes with water for at least 2 minutes while holding<br>eyelids open.<br>Call a physician (or poison control centre immediately).Do not<br>induce vomiting wash out mouth with water.  |
|-------|--|---|
| 4.2   | Most important symptoms and effects, both<br>acute and delayed             | Unlikely to be required but if necessary treat symptomatically.   |
| 4.3   | Indication of any immediate medical attention and special treatment needed | Unlikely to be required but if necessary treat symptomatically.   |
| SECTI | ON 5: FIRE-FIGHTING MEASURES   |   |
| 5.1   | <b>Extinguishing media</b><br>Suitable Extinguishing Media                 | In case of fire, use water spray, foam, dry powder or CO2 for extinction.   |
|       | Unsuitable Extinguishing Media   | None.   |
| 5.2   | Special hazards arising from the substance or mixture                      | In case of fire the following can develop: Oxides of carbon.  |
| 5.3   | Advice for fire-fighters   | A self contained breathing apparatus and suitable protective<br>clothing should be worn in fire conditions.<br>Dust is ignitable but will not sustain combustion. A high<br>temperature source of ignition is required. Insensitive to sparks.<br>The minimum spark energy required for ignition of a dust cloud<br>is greater than 5000 mJ. It will not train fire, e.g. along beams<br>etc. |
| 5.4   | Other  | Dispose of contaminated extinction water according to official regulations.   |

## SECTION 6: ACCIDENTAL RELEASE MEASURES

| 6.1 | Personal precautions, protective equipment and emergency procedures | Avoid inhalation and contact with eyes or skin. Ensure sufficient<br>supply of air. Avoid build-up of dust. Remove possible cause of<br>ignition – do not smoke. Take precautionary measures against<br>static discharge. |
|-----|---|---|
| 6.2 | Environmental precautions   | Avoid release to the environment. Prevent surface and ground water infiltration, as well as ground penetration.   |
| 6.3 | Methods and material for containment and<br>cleaning up             | Sweep up carefully with non-sparking tools. Transfer to a lidded container for disposal or recovery.  |
| 6.4 | Reference to other sections   | None.   |
| 6.5 | Additional Information  | None.   |



| SECTI | ON 7: HANDLING AND STORAGE                                   |  |
|-------|--|--|
| 7.1   | Precautions for safe handling                                | General hygiene measures for the handling of chemicals are<br>applicable. Eating, drinking, smoking, as well as food storage, is<br>prohibited in work room. Avoid build-up of dust. Local Exhaust<br>Ventilation at the workplace or on the processing machines<br>required.  |
|       |  | Machine Cleaning (purging): Purging with other polymers (e.g<br>Polyethylene) at high temperatures can be hazardous. Auto<br>ignition may also occur. Local exhaust ventilation is required.<br>The relevant Safety Data Sheet for the purge material to be used<br>should be consulted. Additional information can be obtained<br>from the Victrex website www.victrex.com <u>www.victrex.com</u> |
| 7.2   | Conditions for safe storage, including any incompatibilities | Store products enclosed, in original packing.  |
|       | Storage Temperature  | Store at room temperature.   |
|       | Storage Life   | > 10 Year(s).  |
|       | Incompatible materials                                       | None known   |

#### 7.3 Specific end use(s)

The materials are generally used for film applications.

Local Exhaust Ventilation at the workplace or on the

Eye protection with side protection (EN 166)

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

- 8.1 Control parameters
- 8.1.1 Occupational exposure limits

Ensure adequate ventilation. None.

processing machines required.

| SUBSTANCE.                | CAS No. | LTEL (8 hr<br>TWA ppm) | LTEL (8 hr<br>TWA mg/m³) | STEL<br>(ppm) | STEL<br>(mg/m³) | Note:            |
|---------------------------|---------|------------------------|--------------------------|---------------|-----------------|------------------|
| Dust. (general dust limit | -       | -                      | 10                       |               |                 | Inhalable Dust   |
| value)                    |         |                        | 4                        |               |                 | Respirable Dust. |

None

Not available.

#### 8.1.2 Biological limit value

- 8.1.3 PNECs and DNELs
- 8.2 Exposure controls
- 8.2.1 Appropriate engineering controls
- 8.2.2 Personal protection equipment Eye/face protection



**UNCONTROLLED IF PRINTED** 



Skin protection (Hand protection/ Other)



Respiratory protection



9.1

8.2.3 Environmental Exposure Controls

Impervious Gloves. Plastic or synthetic rubber gloves. Additional information on hand protection – No tests have been performed.

When dealing with heated material: Insulating gloves EN 407 (heat)

If above exposure limits are likely to be exceeded, breathing mask with fine dust filter (EN 143)

No special requirements.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

| Information on basic physical and chemical properties |                            |
|---|----------------------------|
| Appearance  | Solid (Film)               |
| Colour.   | Grey/ Brown                |
| Odour   | Odourless                  |
| Odour threshold (ppm)                                 | None                       |
| pH (Value)  | Not applicable             |
| Melting point (°C)                                    | 343°C                      |
| Boiling point/boiling range (°C):                     | Not known.                 |
| Flash point (°C)                                      | Not known.                 |
| Evaporation rate                                      | Not known.                 |
| Flammability (solid, gas)                             | Solid , Non-flammable      |
| Explosive limit ranges                                | Not explosive.             |
| Vapour pressure (Pascal)                              | 39.6 (@107°C)              |
| Vapour density (Air=1)                                | Not known                  |
| Bulk Density (g/ml)                                   | ~1.3                       |
| Solubility (Water)                                    | Insoluble                  |
| Solubility (Other)                                    | Insoluble                  |
| Partition coefficient (n-Octanol/water)               | Not known                  |
| Auto ignition point (°C)                              | 595°C                      |
| Decomposition temperature (°C)                        | > 450°C                    |
| Viscosity (mPa. s)                                    | Not known                  |
| Kinematic viscosity (mm <sup>2</sup> /s)              | Not applicable             |
| Particle characteristics                              | Not applicable – Film form |
|   |                            |

No 'Nanoparticles' or 'Nanomaterial' substances (per the definition in EU Commission Recommendation 2022/3689/EU) have been generated in the manufacturing process, nor intentionally added to the Victrex grades detailed above.

#### 9.2 Other information

9.2.1 Information with regard to physical hazard classes Explosives

Not explosive

## **SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity
- 10.2 Chemical stability

Stable under normal conditions. Stable under normal conditions.

**UNCONTROLLED IF PRINTED** 



VIML-MSDS-001 Page 6 of 9 Rev: 2 Date: 06-December-2024

- **10.3** Possibility of hazardous reactions
- 10.4 Conditions to avoid

#### 10.5 Incompatible materials

**10.6 Hazardous Decomposition Product(s)** 

## Stable under normal conditions. Stable under normal conditions. Electrostatic charge. Open flame, ignition sources. Decomposes at temperatures above 450°C. Concentrated Sulphuric acid Oxides of carbon

## **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| 11.1.1 | Substances<br>Acute toxicity      |   |
|--------|-----------------------------------|---|
|        | Ingestion                         | Predicted to be low toxicity under normal conditions of   |
|        |                                   | handling and use.   |
|        | Inhalation                        | Mechanical irritation of the respiratory tract.   |
|        | Skin Contact                      | Repeated and/or prolonged skin contact may cause irritation.  |
|        |                                   | In the event of contact with molten product: Thermal Burns  |
|        |                                   | (molten polymer will adhere to skin and cause severe burns).  |
|        | Eye Contact                       | No data. Dust may have irritant effect on eyes.   |
|        |                                   | Permanent damage is unlikely.   |
|        | Hazard label(s)                   | Not known   |
|        | Serious eye damage/irritation     | Not known   |
|        | respiratory or skin sensitization | Not known   |
|        | Mutagenicity                      | Not known   |
|        | Carcinogenicity                   | Not known   |
|        | Reproductive toxicity             | Not known   |
|        | STOT - single exposure            | Not known   |
|        | STOT - repeated exposure          | Not known   |
|        | Aspiration hazard                 | Not known   |
| 11.1.2 | Mixtures                          | Not applicable  |
| 11.2   | Information on other hazards      | None  |
| 11.2.1 | Endocrine disrupting properties   | PEEK polymer does not contain components considered to<br>have endocrine disrupting properties according to REACH<br>Article 57(f) or Commission Delegated regulation (EU)<br>2017/2100 or Commission Regulation (EU)<br>2018/605 at levels of 0.1% or higher |

#### 11.2.2 Other information

None

| SECTI        | ON 12: ECOLOGICAL INFORMATION             |  |
|--------------|---|--|
| 12.1<br>12.2 | Toxicity<br>Persistence and degradability | Low toxicity to aquatic organisms.<br>Not readily biodegradable. |
| 12.3         | Bioaccumulative potential                 | Not classified as PBT or vPvB.                                   |



| 12.4                 | Mobility in soil                                       | The product has low mobility in soil. The product has low mobility in sediment.   |
|----------------------|--|---|
| 12.5                 | Results of PBT and vPvB assessment                     | Not classified as PBT or vPvB.  |
| 12.6                 | Endocrine disrupting properties                        | PEEK polymer does not contain components considered to<br>have endocrine disrupting properties according to REACH<br>Article 57(f) or Commission Delegated regulation (EU)<br>2017/2100 or Commission Regulation (EU)<br>2018/605 at levels of 0.1% or higher |
| 12.7                 | Other adverse effects                                  | None anticipated  |
|                      |  |   |
| SECTI                | ON 13: DISPOSAL CONSIDERATIONS                         |   |
| <b>SECTI</b><br>13.1 | ON 13: DISPOSAL CONSIDERATIONS Waste treatment methods | Disposal should be in accordance with local, regional, state or national legislation.   |

07 02 13- waste plastic, 07 02 99-waste not otherwise specified.

## **SECTION 14: TRANSPORT INFORMATION**

- 14.1
   Land transport (ADR/RID)

   UN number
   Proper Shipping Name
- 14.2 Sea transport (IMDG) UN number Proper Shipping Name
- 14.3 Air transport (ICAO/IATA) UN number Proper Shipping Name
- 14.4 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not classified as dangerous for transport. Not applicable Not applicable

Not classified as dangerous for transport. Not applicable Not applicable

Not classified as dangerous for transport. Not applicable Not applicable

Not applicable

## **SECTION 15: REGULATORY INFORMATION**

| 15.1   | Safety, health and environmental<br>regulations/legislation specific for the<br>substance or mixture | Not classified as dangerous for supply/use. |
|--------|--|---|
| 15.1.1 | <b>EU regulations</b><br>Authorisations and/or restrictions on use                                   | None  |
| 15.1.2 | National regulations<br>USA  |   |
| UNCO   | NTROLLED IF PRINTED  | Page: 7/9                                   |



|      | TSCA – PEEK Polymer                     | Listed - ACTIVE  |
|------|---|--|
|      | OSHA                                    | Not classified as a hazardous material under the criteria<br>outlined in the OSHA Hazard Communication Standard (HCS)<br>(29 CFR 1910.1200). |
|      | China                                   |  |
|      | IECSC – PEEK Polymer                    | Listed   |
|      | China Hazardous Chemical Inventory 2015 | Not Listed   |
| 15.2 | Chemical Safety Assessment              | Not relevant for this material.  |

#### **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: Updated in line with Regulation (EC) No. 2020/878.

#### LEGEND

LTELLong Term Exposure LimitSTELShort Term Exposure LimitSTOTSpecific Target Organ ToxicityDNELDerived No Effect LevelPNELPredicted No Effect Concentration

References: Workplace Exposure Limit (UK HSE EH40)

Risk Phrases and Safety Phrases: None

Hazard statement(s) and Precautionary statement(s): None

Training advice: www.victrex.com

#### **Additional Information**

Manufactured in the UK by Victrex Manufacturing Ltd, under a Quality System approved to ISO 9001.

Additional information on the properties, processing and application of VICTREX polymers is available at www.victrex.com. These details refer to the product as it is delivered.

The statements made here should describe the product with regard to the necessary safety precautions – they are not meant to guarantee definite characteristics – but they are based on our present up-to-date knowledge.

#### **Regional Importer Addresses**

Victrex USA, Inc. 300 Conshohocken State Road Suite 120 West Conshohocken PA, 19428 USA

Tel: +(1) 484 342 6001

**Victrex Europa GmbH** Langgasse 16 65719 Hofheim/Ts. Germany Tel: <u>+(49) 6192 964900</u> Victrex Japan Inc. Mita Kokusai Building Annex 1-4-28, Mita, Minato-ku Tokyo 108-0073 Japan Tel: <u>+81 3 5427 4650</u>

## **UNCONTROLLED IF PRINTED**



VIML-MSDS-001 Page 9 of 9 Rev: 2 Date: 06-December-2024

Victrex High-performance Materials (Shanghai) Co.,Ltd. Part B Building G, No 1688, Zhuanxing Road, Xinzhuang Industry Park, Shanghai 201108, China Tel: <u>+86-21-6113 6900</u> Victrex Hong Kong (Regional office) Room 2219 The Metropolis Tower 10 Metropolis Drive Hunghom, Kowloon Hong Kong Special administrative region, PRC Tel: <u>+852 2366 1357</u>

#### Victrex Taiwan

12F, No. 101, Songren Rd., Xinyi District Taipei City 110 Taiwan Tel: <u>+886-987118240</u>

#### SDS Date of Preparation: 06-December-2024 – updated from SDS Revision 20-May-2022

#### Victrex Global Sites

This information is provided "as is". It is not intended to amount to advice. Use of the product is at the customer's/user's risk. It is the customer's/user's responsibility to thoroughly test the product in each specific application to determine its performance, efficacy and safety for each end-use product, device or other application and compliance with applicable laws, regulations and standards. Mention of a product is no guarantee of availability. Victrex reserves the right to modify products, data sheets, specifications and packaging. Victrex makes no warranties, express or implied (including, without limitation, any warranty of fitness for a particular purpose or of intellectual property non-infringement) and will not be liable for any loss or damage of any nature (however arising) in connection with customer's/user's use or reliance on this information, except for any liability which cannot be excluded or limited by law. This document may be modified or retracted at any time without notice to the customer/user.

Victrex Manufacturing Limited (or another member of the Victrex group) is the owner or the licensee of all intellectual property rights in and to this document including the following trade marks, VICTREX, INVIBIO, JUVORA, APTIV, 450G, PEEK-OPTIMA, SHAPING FUTURE PERFORMANCE, LMPAEK, TRIANGLE (Device). All rights are protected by intellectual property rights including copyright under relevant national and international intellectual property laws and treaties. All rights reserved. Copyright © Victrex Manufacturing Limited 2024.