

VIML-MSDS-075 Page 1 of 9 Rev: 1

Date: 05-September 2023

# **SAFETY DATA SHEET**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product identifier

Trade name VICTREX FG™ 140 and VICTREX FG™ 240

1.2 Other means of identification

CAS No. PEEK Polymer (31694-16-3 or 29658-26-2)

EC No. Not applicable. REACH Registration No. Not applicable.

1.3 Recommended use of the substance and restrictions on use

Identified use(s)

The materials are generally used for injection moulding and

extrusion operations.

1.4 Details of the supplier of the safety data sheet

1.4.1 Manufacturer Details

Telephone

Telephone:

Fax:

Company Identification Victrex Manufacturing Ltd.

Hillhouse International, Thornton-Cleveleys

Lancashire, UK - FY5 4QD + 44 (0) 1253 897700 + 44 (0) 1253 897701 <u>RAPS@victrex.com</u>

1.4.2 Only Representative details

E-Mail (competent person)

Company Identification Stewardship Chemicals 40,

Dlugosza 67, 43-188 Orzesze, Poland

+48 501168430

Pol

E-Mail (competent person) <u>pawelskiba@stewardshipsolutions.eu</u>

**1.4.3 Regional Importer Address** See section 16 for regional importer / supplier information

1.5 Emergency telephone number

Emergency Phone No. + 44 (0) 1253 897754 - UK

+(49) 6192 964 900 - Europe +(1) 484 342 6001 - USA

Hours of operation 09:00 – 17:00 (Monday – Friday)



VIML-MSDS-075 Page 2 of 9

Rev: 1

Date: 05-September 2023

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

**2.1.1 Regulation (EC) No. 1272/2008 (CLP).** Not classified as dangerous for supply/use.

2.2 Label elements (GHS) None.

Hazard pictogram(s)None.Signal word(s)None.Hazard statement(s)None.Precautionary statement(s)None.

**2.3** Other hazards Not classified as PBT or vPvB.

PEEK polymer does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Not explosive, may form explosible dust clouds in air

See section 9.2 below.

2.4 Additional Information None.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

Polyetheretherketone polymer (CAS No. 29658-26-2 or 31694-16-3)

This product does not contain any reportable hazardous materials

Classification according to Regulation EC No. 1272/2008 [CLP]:

Hazardous ingredient(s)	%W/W	EC No.	CAS No.	REACH	Hazard statement(s)
				Registration No.	
None.	-	-	-	-	-

#### 3.2 Additional Information

For full text of H/P phrases see section 16.

# **SECTION 4: FIRST AID MEASURES**



# 4.1 Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Skin Contact After contact with skin, wash immediately with plenty of soap

and water. In the event of contact with molten product: Cool

**UNCONTROLLED IF PRINTED** 

Page: 2/9

# **Regulatory Affairs & Product** Stewardship **ISSUE 1**



VIML-MSDS-075 Page 3 of 9 Rev: 1

Date: 05-September 2023

affected area quickly with water. Do not attempt to remove

hardened product. Obtain medical attention.

Flush eyes with water for at least 2 minutes while holding

eyelids open.

Ingestion Call a physician (or poison control centre immediately). Do not

induce vomiting wash out mouth with water.

4.2 Most important symptoms and effects, both

acute and delayed

**Eve Contact** 

Unlikely to be required but if necessary treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

# **SECTION 5: FIRE-FIGHTING MEASURES**

5.1 **Extinguishing media** 

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO<sup>2</sup> for

> > extinction.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or

mixture

In case of fire the following can develop: Oxides of carbon.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

Dust is ignitable but will not sustain combustion. A high temperature source of ignition is required. Insensitive to sparks. The minimum spark energy required for ignition of a dust cloud is greater than 5000 mJ. It will not train fire, e.g. along beams

etc.

5.4 Other Dispose of contaminated extinction water according to official

regulations.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and Avoid inhalation and contact with eyes or skin. Ensure sufficient emergency procedures

supply of air. Avoid build up of dust. Remove possible cause of

ignition - do not smoke. Take precautionary measures against

static discharge.

6.2 **Environmental precautions** Avoid release to the environment. Prevent surface and ground

water infiltration, as well as ground penetration.

6.3 Methods and material for containment and

cleaning up

6.5

Sweep up carefully with non-sparking tools. Transfer to a lidded

container for disposal or recovery.

6.4 Reference to other sections

**Additional Information** 

None. None.



VIML-MSDS-075 Page 4 of 9 Rev: 1

kev: I

Date: 05-September 2023

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in work room. Avoid build up of dust. Local Exhaust Ventilation at the workplace or on the processing machines required. Note:Danger of explosive dust

Machine Cleaning (purging): Purging with other polymers (e.g Polyethylene) at high temperatures can be hazardous. Auto ignition may also occur. Local exhaust ventilation is required. The relevant Safety Data Sheet for the purge material to be used should be consulted. Additional information can be obtained from the Victrex website www.victrex.com www.victrex.com

7.2 Conditions for safe storage, including any incompatibilities

Store products enclosed, in original packing.

Storage Temperature

Store at room temperature.

Storage Life Incompatible materials

> 10 Year(s). None known

7.3 Specific end use(s)

The materials are generally used for injection moulding and

extrusion operations.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1 Control parameters8.1.1 Occupational exposure limits

Ensure adequate ventilation.

None.

SUBSTANCE.	CAS No.	LTEL (8 hr	LTEL (8 hr	STEL	STEL	Note:
		TWA ppm)	TWA mg/m³)	(ppm)	(mg/m³)	
Dust. (general dust limit	-	-	10			Inhalable Dust
value)			4			Respirable Dust.
Fibre dust inorganic			2 Fibres/ml			
			5mg/m³			

**8.1.2 Biological limit value** None

**8.1.3 PNECs and DNELs** Not available.

8.2 Exposure controls

**8.2.1** Appropriate engineering controls Local Exhaust Ventilation at the workplace or on the

processing machines required.

8.2.2 Personal protection equipment



VIML-MSDS-075 Page 5 of 9 Rev: 1

Date: 05-September 2023

Eye/face protection

Eye protection with side protection (EN 166)



Skin protection (Hand protection/ Other)

Impervious Gloves. Plastic or synthetic rubber gloves. Additional information on hand protection – No tests have

been performed.

When dealing with heated material: Insulating gloves EN 407

(heat)

Respiratory protection If above exposure limits are likely to be exceeded, breathing

mask with fine dust filter (EN 143)



8.2.3 Environmental Exposure Controls

No special requirements.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties

Appearance Solid (Granulate)

Colour. Black
Odour Odourless
Odour threshold (ppm) None

pH (Value)

Melting point (°C)

Boiling point/boiling range (°C):

Flash point (°C)

Evaporation rate

Not applicable

343°C

Not known.

Not known.

Flammability (solid, gas) Solid , Non-flammable

Explosive limit ranges Not explosive. 39.6 (@107°C) Vapour pressure (Pascal) Vapour density (Air=1) Not known Bulk Density (g/ml) ~1.4 Solubility (Water) Insoluble Solubility (Other) Insoluble Partition coefficient (n-Octanol/water) Not known Auto ignition point (°C) 595°C

 $\begin{array}{lll} \mbox{Decomposition temperature (°C)} & > 450 ^{\circ} \mbox{C} \\ \mbox{Viscosity (mPa. s)} & \mbox{Not known} \\ \mbox{Kinematic viscosity (mm²/s)} & \mbox{Not applicable} \end{array}$ 

Particle characteristics Granule (pellets) dimensions:

Length~2.0-4.0mm;~diameter~2.0-3.5mm

No 'Nanoparticles' or 'Nanomaterial' substances (per the definition in EU Commission Recommendation 2022/3689/EU) have been generated in the manufacturing process, nor intentionally added to the Victrex grades detailed above.

**9.2 Other information** Contains carbon fibre. Dusts from this compound

may be electrically conductive.

9.2.1 Information with regard to physical hazard classes

**Explosives** Not explosive, may form explosible dust clouds in

air.

Regulatory Affairs & Product Stewardship ISSUE 1



VIML-MSDS-075 Page 6 of 9 Rev: 1

Date: 05-September 2023

# **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.
 10.3 Possibility of hazardous reactions Stable under normal conditions.

**10.4** Conditions to avoid Stable under normal conditions. Electrostatic charge.

Open flame, ignition sources. Decomposes at temperatures

above 450°C.

**10.5** Incompatible materials Concentrated Sulphuric acid

10.6 Hazardous Decomposition Product(s) Oxides of carbon

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### 11.1.1 Substances

Acute toxicity

Ingestion Predicted to be low toxicity under normal conditions of

handling and use.

Inhalation Mechanical irritation of the respiratory tract.

Skin Contact

Repeated and/or prolonged skin contact may cause irritation.

In the event of contact with molten product: Thermal Burns

(molten polymer will adhere to skin and cause severe burns).

Eye Contact No data. Dust may have irritant effect on eyes.

Permanent damage is unlikely.

Hazard label(s) Not known Serious eye damage/irritation Not known respiratory or skin sensitization Not known Mutagenicity Not known Carcinogenicity Not known Reproductive toxicity Not known STOT - single exposure Not known STOT - repeated exposure Not known **Aspiration hazard** Not known

**11.1.2 Mixtures** Not applicable

11.2 Information on other hazards None

11.2.1 Endocrine disrupting properties PEEK polymer does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher

**11.2.2 Other information** None



VIML-MSDS-075 Page 7 of 9 Rev: 1

Date: 05-September 2023

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity Low toxicity to aquatic organisms.

12.2 Persistence and degradability Not readily biodegradable.

12.3 **Bioaccumulative potential** Not classified as PBT or vPvB.

12.4 Mobility in soil The product has low mobility in soil. The product has low

mobility in sediment.

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.

12.6 Endocrine disrupting properties PEEK polymer does not contain components considered to

> have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

12.7 Other adverse effects None anticipated

# **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods Disposal should be in accordance with local, regional, state or

national legislation.

**Additional Information** 13.2 The European waste codes are recommendations based on the

> scheduled use of this product. For alternative uses and applications, other waste codes may be allocated under certain

circumstances.

07 02 13- waste plastic, 07 02 99-waste not otherwise specified.

# **SECTION 14: TRANSPORT INFORMATION**

14.1 Land transport (ADR/RID) Not classified as dangerous for transport.

**UN** number Not applicable Proper Shipping Name Not applicable

Not classified as dangerous for transport. 14.2 Sea transport (IMDG)

**UN** number Not applicable Proper Shipping Name Not applicable

14.3 Air transport (ICAO/IATA) Not classified as dangerous for transport.

UN number Not applicable Proper Shipping Name Not applicable

14.4 Transport in bulk according to Annex II of Not applicable

MARPOL73/78 and the IBC Code



VIML-MSDS-075 Page 8 of 9

Rev: 1

Date: 05-September 2023

# **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental

Not classified as dangerous for supply/use.

regulations/legislation specific for the

substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use None

15.1.2 National regulations

USA

TSCA – PEEK Polymer Listed - ACTIVE TSCA – Carbon Fibre Listed – ACTIVE

OSHA Not classified as a hazardous material under the criteria

outlined in the OSHA Hazard Communication Standard (HCS)

(29 CFR 1910.1200).

China

 IECSC – PEEK Polymer
 Listed

 IECSC – Carbon Fibre
 Listed

 China Hazardous Chemical Inventory 2015
 Not Listed

**15.2 Chemical Safety Assessment** Not relevant for this material.

## **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: Updated in line with Regulation (EC) No. .

#### LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEL Predicted No Effect Concentration

**References:** Workplace Exposure Limit (UK HSE EH40)

Risk Phrases and Safety Phrases: None

Hazard statement(s) and Precautionary statement(s): None

Training advice: www.victrex.com

## **Additional Information**

Manufactured in the UK by Victrex Manufacturing Ltd, under a Quality System approved to ISO 9001.

Additional information on the properties, processing and application of VICTREX polymers is available at www.victrex.com. These details refer to the product as it is delivered.

# **Regulatory Affairs & Product** Stewardship **ISSUE 1**



VIML-MSDS-075 Page 9 of 9

Rev: 1

Tel: +886-987118240

Date: 05-September 2023

The statements made here should describe the product with regard to the necessary safety precautions – they are not meant to guarantee definite characteristics – but they are based on our present up-to-date knowledge.

#### **Regional Importer Addresses**

Victrex USA, Inc. Victrex Europa GmbH Victrex Japan Inc. Mita Kokusai Building Annex 300 Conshohocken State Road Langgasse 16 1-4-28, Mita, Minato-ku 65719 Hofheim/Ts. Suite 120 Tokyo West Conshohocken Germany 108-0073 Japan PA, 19428 USA Tel: +(49) 6192 964900 Tel: +81 3 5427 4650

Tel: +(1) 484 342 6001

**Victrex High-performance** Victrex Hong Kong Victrex Taiwan Materials (Shanghai) Co.,Ltd. (Regional office) Part B Building G, No 1688, Room 2219 12F, No. 101, Zhuanxing Road, The Metropolis Tower Songren Rd., Xinzhuang Industry Park, 10 Metropolis Drive Xinyi District Shanghai 201108, Hunghom, Kowloon Taipei City 110 China Hong Kong Taiwan

Tel: +86-21-6113 6900 Special administrative region, PRC

Tel: +852 2366 1357

SDS Date of Preparation: 05 September 2023 – updated from SDS Revision 24 October 2018

# Victrex Global Sites

This information is provided "as is". It is not intended to amount to advice. Use of the product is at the customer's/user's risk. It is the customer's/user's responsibility to thoroughly test the product in each specific application to determine its performance, efficacy and safety for each end-use product, device or other application and compliance with applicable laws, regulations and standards. Mention of a product is no guarantee of availability. Victrex reserves the right to modify products, data sheets, specifications and packaging. Victrex makes no warranties, express or implied (including, without limitation, any warranty of fitness for a particular purpose or of intellectual property non-infringement) and will not be liable for any loss or damage of any nature (however arising) in connection with customer's/user's use or reliance on this information, except for any liability which cannot be excluded or limited by law. This document may be modified or retracted at any time without notice to the customer/user.

Victrex Manufacturing Limited (or another member of the Victrex group) is the owner or the licensee of all intellectual property rights in and to this document including the following trade marks, VICTREX, INVIBIO, JUVORA, APTIV, 450G, PEEK-OPTIMA, SHAPING FUTURE PERFORMANCE, LMPAEK, TRIANGLE (Device). All rights are protected by intellectual property rights including copyright under relevant national and international intellectual property laws and treaties. All rights reserved. Copyright © Victrex Manufacturing Limited 2023.