

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1	Product identifier Trade name	VICTREX FG™ 200
1.2	Other means of identification	
	CAS No.	PEEK Polymer (31694-16-3 or 29658-26-2)
	EC No.	Not applicable.
	REACH Registration No.	Not applicable.
1.3	Recommended use of the substance and restrict	ions on use
	Identified use(s)	The materials are generally used for injection moulding and
		extrusion operations.
1.4	Details of the supplier of the safety data sheet	
1.4.1	Manufacturer Details	
		Victrex Manufacturing Ltd.
		5
		Lancashire, UK - FY5 4QD
	Telephone	+ 44 (0) 1253 897700
	Fax:	+ 44 (0) 1253 897701
	E-Mail (competent person)	RAPS@victrex.com
1.4.2	Only Representative details	
	Company Identification	Stewardship Chemicals 40,
		Dlugosza 67,
		43-188 Orzesze,
		Poland
	Telephone:	+48 501168430
	E-Mail (competent person)	
1.4.3	Regional Importer Address	See section 16 for regional importer / supplier information
1.5	Emergency telephone number	
	Emergency Phone No.	+ 44 (0) 1253 897754 - UK
		+(49) 6192 964 900 - Europe
		+(1) 484 342 6001 - USA
		Hours of operation 09:00 – 17:00 (Monday – Friday)
1.4.3	Fax: E-Mail (competent person) Only Representative details Company Identification Telephone: E-Mail (competent person) Regional Importer Address Emergency telephone number	+ 44 (0) 1253 897700 + 44 (0) 1253 897701 RAPS@victrex.com Stewardship Chemicals 40, Dlugosza 67, 43-188 Orzesze, Poland +48 501168430 pawelskiba@stewardshipsolutions.eu See section 16 for regional importer / supplier information + 44 (0) 1253 897754 - UK + (49) 6192 964 900 - Europe + (1) 484 342 6001 - USA



SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP).

2.2	Label elements (GHS)
	Hazard pictogram(s)
	Signal word(s)
	Hazard statement(s)
	Precautionary statement(s)
2.3	Other hazards

Not classified as dangerous for supply/use.

None. None. None. None. Not classified as PBT or vPvB.

PEEK polymer does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Not explosive, see section 9.2 below.

2.4 Additional Information

None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Polyetheretherketone polymer (CAS No. 29658-26-2 or 31694-16-3) This product does not contain any reportable hazardous materials

Classification according to Regulation EC No. 1272/2008 [CLP]:

Hazardous ingredient(s)	%W/W	EC No.	CAS No.	REACH Registration No.	Hazard statement(s)
None.	-	-	-	-	-

3.2 Additional Information

For full text of H/P phrases see section 16.

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures Inhalation

Skin Contact

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

After contact with skin, wash immediately with plenty of soap and water. In the event of contact with molten product: Cool



	Eye Contact Ingestion	affected area quickly with water. Do not attempt to remove hardened product. Obtain medical attention. Flush eyes with water for at least 2 minutes while holding eyelids open. Call a physician (or poison control centre immediately).Do not induce vomiting wash out mouth with water.
4.2	Most important symptoms and effects, both acute and delayed	Unlikely to be required but if necessary treat symptomatically.
4.3	Indication of any immediate medical attention and special treatment needed	Unlikely to be required but if necessary treat symptomatically.
SECTI	ON 5: FIRE-FIGHTING MEASURES	
5.1	Extinguishing media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO ² for extinction.
	Unsuitable Extinguishing Media	None.
5.2	Special hazards arising from the substance or mixture	In case of fire the following can develop: Oxides of carbon.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Dust is ignitable but will not sustain combustion. A high temperature source of ignition is required. Insensitive to sparks. The minimum spark energy required for ignition of a dust cloud is greater than 5000 mJ. It will not train fire, e.g. along beams etc.
5.4	Other	Dispose of contaminated extinction water according to official regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Avoid inhalation and contact with eyes or skin. Ensure sufficient supply of air. Avoid build up of dust. Remove possible cause of ignition – do not smoke. Take precautionary measures against static discharge.
Environmental precautions	Avoid release to the environment. Prevent surface and ground water infiltration, as well as ground penetration.
Methods and material for containment and	Sweep up carefully with non-sparking tools. Transfer to a lidded
cleaning up	container for disposal or recovery.
Reference to other sections	None.
Additional Information	None.
	emergency procedures Environmental precautions Methods and material for containment and cleaning up Reference to other sections



SECT	ION 7: HANDLING AND STORAGE	
7.1	Precautions for safe handling	General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in work room. Avoid build up of dust. Local Exhaust Ventilation at the workplace or on the processing machines required. Note:Danger of explosive dust
		Machine Cleaning (purging): Purging with other polymers (e.g Polyethylene) at high temperatures can be hazardous. Auto ignition may also occur. Local exhaust ventilation is required. The relevant Safety Data Sheet for the purge material to be used should be consulted. Additional information can be obtained from the Victrex website www.victrex.com <u>www.victrex.com</u>
7.2	Conditions for safe storage, including any incompatibilities	Store products enclosed, in original packing.
	Storage Temperature	Store at room temperature.
	Storage Life	> 10 Year(s).
	Incompatible materials	None known
7.3	Specific end use(s)	The materials are generally used for injection moulding and

The materials are generally used for injection moulding and extrusion operations.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational exposure limits

Ensure adequate ventilation. None.

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Dust. (general dust limit	-	-	10			Inhalable Dust
value)			4			Respirable Dust.

8.1.2 Biological limit value

- 8.1.3 PNECs and DNELs
- 8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Personal protection equipment Eye/face protection



None

Not available.

Local Exhaust Ventilation at the workplace or on the processing machines required.

Eye protection with side protection (EN 166)



Skin protection (Hand protection/ Other)



Respiratory protection



9.1

8.2.3 Environmental Exposure Controls

Impervious Gloves. Plastic or synthetic rubber gloves. Additional information on hand protection – No tests have been performed.

When dealing with heated material: Insulating gloves EN 407 (heat)

If above exposure limits are likely to be exceeded, breathing mask with fine dust filter (EN 143)

No special requirements.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical prop	perties
Appearance	Solid (Granulate)
Colour.	Natural/Beige
Odour	Odourless
Odour threshold (ppm)	None
pH (Value)	Not applicable
Melting point (°C)	343°C
Boiling point/boiling range (°C):	Not known.
Flash point (°C)	Not known.
Evaporation rate	Not known.
Flammability (solid, gas)	Solid , Non-flammable
Explosive limit ranges	Not explosive.
Vapour pressure (Pascal)	39.6 (@107°C)
Vapour density (Air=1)	Not known
Bulk Density (g/ml)	~1.3
Solubility (Water)	Insoluble
Solubility (Other)	Insoluble
Partition coefficient (n-Octanol/water)	Not known
Auto ignition point (°C)	595°C
Decomposition temperature (°C)	> 450°C
Viscosity (mPa. s)	Not known
Kinematic viscosity (mm²/s)	Not applicable
Particle characteristics	Granule (pellets) dimensions:
	Length 2.0 – 4.0mm; diameter 2.0 – 3.5mm

No 'Nanoparticles' or 'Nanomaterial' substances (per the definition in EU Commission Recommendation 2022/3689/EU) have been generated in the manufacturing process, nor intentionally added to the Victrex grades detailed above.

9.2 Other information

9.2.1 Information with regard to physical hazard classes Explosives

Not explosive.



VIML-MSDS-076 Page 6 of 9 Rev: 1 Date: 05-September 2023

SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Stable under normal conditions. Stable under normal conditions. Electrostatic charge. Open flame, ignition sources. Decomposes at temperatures above 450°C. Concentrated Sulphuric acid Oxides of carbon

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1	Substances	
	Acute toxicity	
	Ingestion	Predicted to be low toxicity under normal conditions of
		handling and use.
	Inhalation	Mechanical irritation of the respiratory tract.
	Skin Contact	Repeated and/or prolonged skin contact may cause irritation.
		In the event of contact with molten product: Thermal Burns
		(molten polymer will adhere to skin and cause severe burns).
	Eye Contact	No data. Dust may have irritant effect on eyes.
		Permanent damage is unlikely.
	Hazard label(s)	Not known
	Serious eye damage/irritation	Not known
	respiratory or skin sensitization	Not known
	Mutagenicity	Not known
	Carcinogenicity	Not known
	Reproductive toxicity	Not known
	STOT - single exposure	Not known
	STOT - repeated exposure	Not known
	Aspiration hazard	Not known
11.1.2	Mixtures	Not applicable
11.2	Information on other hazards	None
11.2.1	Endocrine disrupting properties	PEEK polymer does not contain components considered to
		have endocrine disrupting properties according to REACH
		Article 57(f) or Commission Delegated regulation (EU)
		2017/2100 or Commission Regulation (EU)

11.2.2 Other information

None

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

12.2 Persistence and degradability

UNCONTROLLED IF PRINTED

Low toxicity to aquatic organisms. Not readily biodegradable.

2018/605 at levels of 0.1% or higher

Page: 6/9



12.3 12.4 12.5	Bioaccumulative potential Mobility in soil Results of PBT and vPvB assessment	Not classified as PBT or vPvB. The product has low mobility in soil. The product has low mobility in sediment. Not classified as PBT or vPvB.
12.6	Endocrine disrupting properties	PEEK polymer does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
12.7	Other adverse effects	None anticipated
SECTI	ON 13: DISPOSAL CONSIDERATIONS	
13.1	Waste treatment methods	Disposal should be in accordance with local, regional, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

- 14.1 Land transport (ADR/RID) UN number Proper Shipping Name
- 14.2 Sea transport (IMDG) UN number **Proper Shipping Name**
- 14.3 Air transport (ICAO/IATA) UN number **Proper Shipping Name**
- 14.4 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not classified as dangerous for transport. Not applicable Not applicable

Not classified as dangerous for transport. Not applicable Not applicable

Not classified as dangerous for transport. Not applicable Not applicable

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.1 **EU** regulations Authorisations and/or restrictions on use

Not classified as dangerous for supply/use.

None

UNCONTROLLED IF PRINTED



15.1.2 National regulations

USA TSCA – PEEK Polymer

OSHA

China **IECSC – PEEK Polymer** China Hazardous Chemical Inventory 2015 Listed - ACTIVE

Not classified as a hazardous material under the criteria outlined in the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200).

Listed Not Listed

15.2 **Chemical Safety Assessment** Not relevant for this material.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Updated in line with Regulation (EC) No. .

LEGEND

- LTEL Long Term Exposure Limit STEL
- Short Term Exposure Limit STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEL
- Predicted No Effect Concentration

References: Workplace Exposure Limit (UK HSE EH40)

Risk Phrases and Safety Phrases: None

Hazard statement(s) and Precautionary statement(s): None

Training advice: www.victrex.com

Additional Information

Manufactured in the UK by Victrex Manufacturing Ltd, under a Quality System approved to ISO 9001.

Additional information on the properties, processing and application of VICTREX polymers is available at www.victrex.com. These details refer to the product as it is delivered.

The statements made here should describe the product with regard to the necessary safety precautions – they are not meant to guarantee definite characteristics – but they are based on our present up-to-date knowledge.

Regional Importer Addresses

Victrex USA, Inc. 300 Conshohocken State Road Suite 120 West Conshohocken PA, 19428 USA Tel: +(1) 484 342 6001

Victrex Europa GmbH Langgasse 16

65719 Hofheim/Ts. Germany Tel: +(49) 6192 964900 Victrex Japan Inc. Mita Kokusai Building Annex 1-4-28, Mita, Minato-ku Tokyo 108-0073 Japan Tel: +81 3 5427 4650

UNCONTROLLED IF PRINTED

Page: 8/9

Regulatory Affairs & Product Stewardship ISSUE 1



VIML-MSDS-076 Page 9 of 9 Rev: 1 Date: 05-September 2023

Victrex High-performance Materials (Shanghai) Co.,Ltd. Part B Building G, No 1688, Zhuanxing Road, Xinzhuang Industry Park, Shanghai 201108, China Tel: <u>+86-21-6113 6900</u> Victrex Hong Kong (Regional office) Room 2219 The Metropolis Tower 10 Metropolis Drive Hunghom, Kowloon Hong Kong Special administrative region, PRC Tel: <u>+852 2366 1357</u>

Victrex Taiwan

12F, No. 101, Songren Rd., Xinyi District Taipei City 110 Taiwan Tel: <u>+886-987118240</u>

SDS Date of Preparation: 05 September 2023- updated from SDS Revision 24 October 2018

Victrex Global Sites

This information is provided "as is". It is not intended to amount to advice. Use of the product is at the customer's/user's risk. It is the customer's/user's responsibility to thoroughly test the product in each specific application to determine its performance, efficacy and safety for each end-use product, device or other application and compliance with applicable laws, regulations and standards. Mention of a product is no guarantee of availability. Victrex reserves the right to modify products, data sheets, specifications and packaging. Victrex makes no warranties, express or implied (including, without limitation, any warranty of fitness for a particular purpose or of intellectual property non-infringement) and will not be liable for any loss or damage of any nature (however arising) in connection with customer's/user's use or reliance on this information, except for any liability which cannot be excluded or limited by law. This document may be modified or retracted at any time without notice to the customer/user.

Victrex Manufacturing Limited (or another member of the Victrex group) is the owner or the licensee of all intellectual property rights in and to this document including the following trade marks, VICTREX, INVIBIO, JUVORA, APTIV, 450G, PEEK-OPTIMA, SHAPING FUTURE PERFORMANCE, LMPAEK, TRIANGLE (Device). All rights are protected by intellectual property rights including copyright under relevant national and international intellectual property laws and treaties. All rights reserved. Copyright © Victrex Manufacturing Limited 2023.