

### SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1	Product identifier	
	Trade name	VICTREX PC™101 GRA
1.2	Other means of identification	
	CAS No.	PEEK Polymer (31694-16-3 or 29658-26-2)
	EC No.	Not applicable.
	REACH Registration No.	Not applicable.
1.3	Recommended use of the substance and restrict	·
1.5	Identified use(s)	
	identified use(s)	The materials are generally used for injection moulding and
		extrusion operations.
1.4	Details of the supplier of the safety data sheet	
1.4.1	Manufacturer Details	
	Company Identification	Victrex Manufacturing Ltd.
		Hillhouse International, Thornton-Cleveleys
		Lancashire, UK - FY5 4QD
	Telephone	+ 44 (0) 1253 897700
	Fax:	+ 44 (0) 1253 897701
	E-Mail (competent person)	RAPS@victrex.com
1.4.2	Only Representative details	
	Company Identification	Stewardship Chemicals 40,
		Dlugosza 67,
		43-188 Orzesze,
		Poland
	Telephone:	+48 501168430
	E-Mail (competent person)	pawelskiba@stewardshipsolutions.eu
1.4.3	Regional Importer Address	See section 16 for regional importer / supplier information
1.5	Emergency telephone number	
	Emergency Phone No.	+ 44 (0) 1253 897754 - UK
		+(49) 6192 964 900 - Europe
		+(1) 484 342 6001 - USA
		Hours of operation 09:00 – 17:00 (Monday – Friday)



### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

- 2.1.1 Regulation (EC) No. 1272/2008 (CLP).
- 2.2 Label elements (GHS)

   Hazard pictogram(s)
   Signal word(s)
   Hazard statement(s)
   Precautionary statement(s)

   2.3 Other hazards

Not classified as dangerous for supply/use.

None. None. None. None. Not classified as PBT or vPvB.

PEEK polymer does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

### 2.4 Additional Information

Not explosive. None.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Polyetheretherketone polymer (CAS No. 29658-26-2 or 31694-16-3) This product does not contain any reportable hazardous materials

### Classification according to Regulation EC No. 1272/2008 [CLP]:

Hazardous ingredient(s)	%W/W	EC No.	CAS No.	REACH Registration No.	Hazard statement(s)
None.	-	-	-	-	-

### **3.2 Additional Information**

For full text of H/P phrases see section 16.

### **SECTION 4: FIRST AID MEASURES**



## 4.1 Description of first aid measures Inhalation

Skin Contact

## Remove victim to fresh air and keep at rest in a position comfortable for breathing.

After contact with skin, wash immediately with plenty of soap and water. In the event of contact with molten product: Cool affected area quickly with water. Do not attempt to remove hardened product. Obtain medical attention.

### UNCONTROLLED IF PRINTED

Page: 2/9



	Eye Contact Ingestion	Flush eyes with water for at least 2 minutes while holding eyelids open. Call a physician (or poison control centre immediately).Do not induce vomiting wash out mouth with water.
4.2	Most important symptoms and effects, both acute and delayed	Unlikely to be required but if necessary treat symptomatically.
4.3	Indication of any immediate medical attention and special treatment needed	Unlikely to be required but if necessary treat symptomatically.
SECTI	ON 5: FIRE-FIGHTING MEASURES	
5.1	<b>Extinguishing media</b> Suitable Extinguishing Media Unsuitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or $CO_2$ for extinction. None.
5.2	Special hazards arising from the substance or mixture	In case of fire the following can develop: Oxides of carbon.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Dust is ignitable but will not sustain combustion. A high temperature source of ignition is required. Insensitive to sparks. The minimum spark energy required for ignition of a dust cloud is greater than 5000 mJ. It will not train fire, e.g. along beams etc.
5.4	Other	Dispose of contaminated extinction water according to official regulations.
SECTI	ON 6: ACCIDENTAL RELEASE MEASURES	

#### 6.1 Personal precautions, protective equipment and Avoid inhalation and contact with eyes or skin. Ensure sufficient emergency procedures supply of air. Avoid build up of dust. Remove possible cause of ignition - do not smoke. Take precautionary measures against static discharge. 6.2 **Environmental precautions** Avoid release to the environment. Prevent surface and ground water infiltration, as well as ground penetration. 6.3 Methods and material for containment and Sweep up carefully with non-sparking tools. Transfer to a lidded cleaning up container for disposal or recovery. 6.4 Reference to other sections None. 6.5 **Additional Information** None.

### **SECTION 7: HANDLING AND STORAGE**

 7.1
 Precautions for safe handling
 General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in work room. Avoid build up of dust. Local Exhaust

**Regulatory Affairs & Product** Stewardship **ISSUE 1** 



Ventilation at the workplace or on the processing machines required.

Machine Cleaning (purging): Purging with other polymers (e.g. Polyethylene) at high temperatures can be hazardous. Auto ignition may also occur. Local exhaust ventilation is required. The relevant Safety Data Sheet for the purge material to be used should be consulted. Additional information can be obtained from the Victrex website www.victrex.com www.victrex.com

7.2 Conditions for safe storage, including any incompatibilities Storage Temperature Storage Life Incompatible materials

Store products enclosed, in original packing.

Store at room temperature. > 10 Year(s). None known

7.3 Specific end use(s) The materials are generally used for injection moulding and extrusion operations.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 **Control parameters**
- 8.1.1 **Occupational exposure limits**

Ensure adequate ventilation.

None.

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note:
Dust. (general dust limit	-	-	10			Inhalable Dust
value)			4			Respirable Dust.

None

Not available.

#### 8.1.2 **Biological limit value**

**PNECs and DNELs** 8.1.3

8.2 **Exposure controls** 

- 8.2.1 Appropriate engineering controls
- 8.2.2 **Personal protection equipment** Eye/face protection



Skin protection (Hand protection/ Other)



Local Exhaust Ventilation at the workplace or on the processing machines required.

Eye protection with side protection (EN 166)

Impervious Gloves. Plastic or synthetic rubber gloves. Additional information on hand protection – No tests have been performed. When dealing with heated material: Insulating gloves EN 407 (heat)

### **UNCONTROLLED IF PRINTED**

Page: 4/9



If above exposure limits are likely to be exceeded, breathing

Respiratory protection



8.2.3 Environmental Exposure Controls

No special requirements.

mask with fine dust filter (EN 143)

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1		

Information on basic physical and chemical properties Appearance Solid (Granulate) Colour. Grey/ Brown (Granulate) Odour Odourless Odour threshold (ppm) None pH (Value) Not applicable Melting point (°C) 343°C Boiling point/boiling range (°C): Not known. Flash point (°C) Not known. **Evaporation rate** Not known. Solid, Non-flammable Flammability (solid, gas) **Explosive limit ranges** Not explosive. Vapour pressure (Pascal) 39.6 (@107°C) Vapour density (Air=1) Not known Bulk Density (g/ml) ~1.3 Insoluble Solubility (Water) Insoluble Solubility (Other) Partition coefficient (n-Octanol/water) Not known 595°C Auto ignition point (°C) Decomposition temperature (°C) > 450°C Viscosity (mPa. s) Not known Kinematic viscosity (mm<sup>2</sup>/s) Not applicable Particle characteristics Granule (pellets) dimensions: Length 2.0 - 4.0mm; diameter 2.0 - 3.5mm

No 'Nanoparticles' or 'Nanomaterial' substances (per the definition in EU Commission Recommendation 2022/3689/EU) have been generated in the manufacturing process, nor intentionally added to the Victrex grades detailed above.

9.2	Other information	
9.2.1	.1 Information with regard to physical hazard classes	
	Explosives	Not explosive.

### **SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions

Stable under normal conditions. Stable under normal conditions. Stable under normal conditions.



above 450°C.

Oxides of carbon

Concentrated Sulphuric acid

VIML-MSDS-033 Page 6 of 9 Rev: 1 Date: 12th January 2024

Stable under normal conditions. Electrostatic charge. Open flame, ignition sources. Decomposes at temperatures

- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

### SECTION 11: TOXICOLOGICAL INFORMATION

Information on hazard classes as defined in Regulation (EC) No 1272/2008 11.1

11.1.1	Substances	
	Acute toxicity	
	Ingestion	Predicted to be low toxicity under normal conditions of
		handling and use.
	Inhalation	Mechanical irritation of the respiratory tract.
	Skin Contact	Repeated and/or prolonged skin contact may cause irritation.
		In the event of contact with molten product: Thermal Burns
		(molten polymer will adhere to skin and cause severe burns).
	Eye Contact	No data. Dust may have irritant effect on eyes.
		Permanent damage is unlikely.
	Hazard label(s)	Not known
	Serious eye damage/irritation	Not known
	respiratory or skin sensitization	Not known
	Mutagenicity	Not known
	Carcinogenicity	Not known
	Reproductive toxicity	Not known
	STOT - single exposure	Not known
	STOT - repeated exposure	Not known
	Aspiration hazard	Not known
11.1.2	Mixtures	Not applicable
11.2	Information on other hazards	None
11.2.1	Endocrine disrupting properties	PEEK polymer does not contain components considered to
	Endocrine disrupting properties	have endocrine disrupting properties according to REACH
		Article 57(f) or Commission Delegated regulation (EU)
		2017/2100 or Commission Regulation (EU)
		<b>3 4 7</b>
		2018/605 at levels of 0.1% or higher

### 11.2.2 Other information

**UNCONTROLLED IF PRINTED** 

None

SECTI	ON 12: ECOLOGICAL INFORMATION	
12.1	Toxicity	Low toxicity to aquatic organisms.
12.2	Persistence and degradability	Not readily biodegradable.
12.3	Bioaccumulative potential	Not classified as PBT or vPvB.
12.4	Mobility in soil	The product has low mobility in soil. The product has low mobility in sediment.
UNC	ONTROLLED IF PRINTED	Page: 6/9



12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6	Endocrine disrupting properties	PEEK polymer does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
12.7	Other adverse effects	None anticipated
SECTI	ON 13: DISPOSAL CONSIDERATIONS	
13.1	Waste treatment methods	Disposal should be in accordance with local, regional, state or national legislation.
13.2	Additional Information	The European waste codes are recommendations based on the scheduled use of this product. For alternative uses and

SECTI	ON 14: TRANSPORT INFORMATION	
14.1	Land transport (ADR/RID)	Not classified as dangerous for transport.
	UN number	Not applicable
	Proper Shipping Name	Not applicable
14.2	Sea transport (IMDG)	Not classified as dangerous for transport.
	UN number	Not applicable
	Proper Shipping Name	Not applicable
14.3	Air transport (ICAO/IATA)	Not classified as dangerous for transport.
	UN number	Not applicable
	Proper Shipping Name	Not applicable
14.4	Transport in bulk according to Annex II of	Not applicable
	MARPOL73/78 and the IBC Code	

### SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	Not classified as dangerous for supply/use.
15.1.1	EU regulations	
	Authorisations and/or restrictions on use	None
15.1.2	National regulations	
	USA	
	TSCA – PEEK Polymer	Listed - ACTIVE
UNCO	NTROLLED IF PRINTED	Page: 7/9



OSHA

Not classified as a hazardous material under the criteria outlined in the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200).

**China** IECSC – PEEK Polymer China Hazardous Chemical Inventory 2015

Listed Not Listed

### 15.2 Chemical Safety Assessment

Not relevant for this material.

### **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: Updated in line with Regulation (EU) 2020/878.

### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEL	Predicted No Effect Concentration

References: Workplace Exposure Limit (UK HSE EH40)

Risk Phrases and Safety Phrases: None

Hazard statement(s) and Precautionary statement(s): None

Training advice: <u>www.victrex.com</u>

### Additional Information

Manufactured in the UK by Victrex Manufacturing Ltd, under a Quality System approved to ISO 9001.

Additional information on the properties, processing and application of VICTREX polymers is available at www.victrex.com. These details refer to the product as it is delivered.

The statements made here should describe the product with regard to the necessary safety precautions – they are not meant to guarantee definite characteristics – but they are based on our present up-to-date knowledge.

### **Regional Importer Addresses**

Victrex USA, Inc. 300 Conshohocken State Road Suite 120 West Conshohocken PA, 19428 USA Tel: <u>+(1) 484 342 6001</u> **Victrex Europa GmbH** Langgasse 16 65719 Hofheim/Ts. Germany Tel: <u>+(49) 6192 964900</u> Victrex Japan Inc. Mita Kokusai Building Annex 1-4-28, Mita, Minato-ku Tokyo 108-0073 Japan Tel: <u>+81 3 5427 4650</u> Regulatory Affairs & Product Stewardship ISSUE 1



VIML-MSDS-033 Page 9 of 9 Rev: 1 Date: 12<sup>th</sup> January 2024

Victrex High-performance Materials (Shanghai) Co.,Ltd. Part B Building G, No 1688, Zhuanxing Road, Xinzhuang Industry Park, Shanghai 201108, China Tel: <u>+86-21-6113 6900</u> Victrex Hong Kong (Regional office) Room 2219 The Metropolis Tower 10 Metropolis Drive Hunghom, Kowloon Hong Kong Special administrative region, PRC Tel: <u>+852 2366 1357</u>

### Victrex Taiwan

12F, No. 101, Songren Rd., Xinyi District Taipei City 110 Taiwan Tel: <u>+886-987118240</u>

### SDS Date of Preparation: 12-January-2024 updated from SDS Revision: 04-November-2022

### Victrex Global Sites

This information is provided "as is". It is not intended to amount to advice. Use of the product is at the customer's/user's risk. It is the customer's/user's responsibility to thoroughly test the product in each specific application to determine its performance, efficacy and safety for each end-use product, device or other application and compliance with applicable laws, regulations and standards. Mention of a product is no guarantee of availability. Victrex reserves the right to modify products, data sheets, specifications and packaging. Victrex makes no warranties, express or implied (including, without limitation, any warranty of fitness for a particular purpose or of intellectual property non-infringement) and will not be liable for any loss or damage of any nature (however arising) in connection with customer's/user's use or reliance on this information, except for any liability which cannot be excluded or limited by law. This document may be modified or retracted at any time without notice to the customer/user.

Victrex Manufacturing Limited (or another member of the Victrex group) is the owner or the licensee of all intellectual property rights in and to this document including the following trade marks, VICTREX, INVIBIO, JUVORA, APTIV, 450G, PEEK-OPTIMA, SHAPING FUTURE PERFORMANCE, LMPAEK, TRIANGLE (Device). All rights are protected by intellectual property rights including copyright under relevant national and international intellectual property laws and treaties. All rights reserved. Copyright © Victrex Manufacturing Limited 2024.